ELSEVIER

Chemical Physics 242 (1999) 387–390

Chemical Physics

Author index

Akopyan, M.E., N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov, The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions 242 (1999) 253

Akopyan, M.E., N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii, The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition 242 (1999) 263

Alfredsson, M. and K. Hermansson, Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice 242 (1999) 161

Anishchik, S.V., V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin, Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions 242 (1999) 319

Anisimov, O.A., see Anishchik, S.V. 242 (1999) 319

Bernardes, E.S. and J.E.M. Hornos, The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach 242 (1999) 295

Bian, W., X. Zhao, Y. Wang and Y. Wang, Direct solution of the Schrödinger equation for some muonic molecules 242 (1999) 195

Bibinov, N.K., see Akopyan, M.E. 242 (1999) 253

Bibinov, N.K., see Akopyan, M.E. 242 (1999) 263

Bignonneau, G., A. Fritsch and L. Ducasse, Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian 242 (1999) 301

Billing, G.D., Trajectory driven second quantization approach to quantum dynamics 242 (1999) 341

Bogdanchikov, G.A., see Makarov, V.I. 242 (1999) 37

Borovkov, V.I., see Anishchik, S.V. 242 (1999) 319

Chandra, A., see Senapati, S. 242 (1999) 353

Chen, M., X. Wang, L. Zhang, M. Yu and Q. Qin, Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas 242 (1999) 81

Chen, X.J., see Tian, S.X. 242 (1999) 217

Chernousov, Yu.D., see Anishchík, S.V. 242 (1999) 319

Conard, J., see Fillaux, F. 242 (1999) 273

Ducasse, L., see Bignonneau, G. 242 (1999) 301

Fillaux, F., S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson, Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds 242 (1999) 273

Fischer, H., see Wegner, M. 242 (1999) 227

Frank, A., see Lemus, R. 242 (1999) 25

PII: S0301-0104(99)00107-X

Fritsch, A., see Bignonneau, G. 242 (1999) 301
Furuya, K., see Matsuo, A. 242 (1999) 91
Fuzellier, H., see Fillaux, F. 242 (1999) 273

Galasso, V., W. Grimme, J. Lex, D. Jones and A. Modelli, A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds 242 (1999) 203
Gangopadhyay, G., S. Ghoshal and Y. Tanimura, A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system 242 (1999) 367
Ghoshal, S., see Gangopadhyay, G. 242 (1999) 367
Grimme, W., see Galasso, V. 242 (1999) 203

Hanon, A.C., see Fillaux, F. 242 (1999) 273
Hermansson, K., see Alfredsson, M. 242 (1999) 161
Horie, K., see Shirota, H. 242 (1999) 115
Hornos, J.E.M., see Bernardes, E.S. 242 (1999) 295
Hsu, J.-P., M.-T. Tseng and S. Tseng, Distribution of porous colloidal particles in an energy field 242 (1999) 69
Hunter, G., The nature of the $B^{(3)}$ field 242 (1999) 331

Imhof, P., W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns, Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid 242 (1999) 141
Imhof, P., W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns, Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid 242 (1999) 153
Ishchenko, V.N., see Makarov, V.I. 242 (1999) 37
Ivannikov, V.I., see Anishchik, S.V. 242 (1999) 319

Janzen, C., see Imhof, P. 242 (1999) 141
Janzen, C., see Imhof, P. 242 (1999) 153
Jaworska, M., RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, CbFe$(CO)_3$ 242 (1999) 11
Johari, G.P. and D.A. Wasylyshyn, Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies 242 (1999) 283
Jones, D., see Galasso, V. 242 (1999) 203

Kang, T.J., see Ohta, K. 242 (1999) 103
Khmelinskii, I.V., see Makarov, V.I. 242 (1999) 37
Kleinermanns, K., see Imhof, P. 242 (1999) 141
Kleinermanns, K., see Imhof, P. 242 (1999) 153
Kochubei, S.A., see Makarov, V.I. 242 (1999) 37
Koda, S., see Otomo, J. 242 (1999) 241
Koeberg, M., see Wegner, M. 242 (1999) 227
Kokh, D.B., see Akopyan, M.E. 242 (1999) 253
Kokh, D.B., see Akopyan, M.E. 242 (1999) 263
Kurosaki, Y., see Sato, K. 242 (1999) 1

Lemus, R. and A. Frank, A local mode description of anharmonic vibrational excitations in linear molecules 242 (1999) 25
Lex, J., see Galasso, V. 242 (1999) 203
Lukzen, N.N., see Anishchik, S.V. 242 (1999) 319

Makarov, V.I., R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko, Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state 242 (1999) 37
Manceron, L., see Tremblay, B. 242 (1999) 235
Maron, L. and C. Teichteil, Erratum to "On the accuracy of averaged relativistic shape-consistent pseudopotentials" [Chem. Phys. 237 (1998) 105–122] 242 (1999) 293
Matsubara, T., see Sato, K. 242 (1999) 1
Matsuo, A., K. Furuya and T. Ogawa, Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements 242 (1999) 91
Menu, S., see Fillaux, F. 242 (1999) 273
Modelli, A., see Galasso, V. 242 (1999) 203
Molin, Yu.N., see Anishchik, S.V. 242 (1999) 319
Musin, R.N., see Makarov, V.I. 242 (1999) 37

Nakajima, T. and H. Nakatsuji, Energy gradient method for the ground, excited, ionized, and electron-attached states calculated by the SAC (symmetry-adapted cluster)/SAC–CI (configuration interaction) method 242 (1999) 177
Nakatsuji, H., see Nakajima, T. 242 (1999) 177

Ogawa, T., see Matsuo, A. 242 (1999) 91
Ohta, K., T.J. Kang, K. Tominaga and K. Yoshihara, Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study 242 (1999) 103
Oliver, A.M., see Wegner, M. 242 (1999) 227
Otomo, J. and S. Koda, UV absorption shifts of benzenes in supercritical carbon dioxide 242 (1999) 241

Paddon-Row, M.N., see Wegner, M. 242 (1999) 227
Parker, S.W., see Fillaux, F. 242 (1999) 273
Pravilov, A.M., see Akopyan, M.E. 242 (1999) 253
Pravilov, A.M., see Akopyan, M.E. 242 (1999) 263

Qin, Q., see Chen, M. 242 (1999) 81

Roth, W., see Imhof, P. 242 (1999) 141
Roth, W., see Imhof, P. 242 (1999) 153
Rumi, M. and G. Zerbi, Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes 242 (1999) 123

Sato, K., S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi, Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S 242 (1999) 1
Senapati, S. and A. Chandra, Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study 242 (1999) 353

Shebolaev, I.V., see Anishchik, S.V. 242 (1999) 319
Shirota, H. and K. Horie, Deuterium isotope effect on swelling process in aqueous polymer gels 242 (1999) 115
Spangenberg, D., see Imhof, P. 242 (1999) 141
Spangenberg, D., see Imhof, P. 242 (1999) 153
Stepanov, M.B., see Akopyan, M.E. 242 (1999) 253
Stepanov, M.B., see Akopyan, M.E. 242 (1999) 263
Sugiura, M., see Sato, K. 242 (1999) 1

Takayanagi, T., see Sato, K. 242 (1999) 1
Tanimura, Y., see Gangopadhyay, G. 242 (1999) 367
Teichteil, C., see Maron, L. 242 (1999) 293
Tian, S.X., C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu, How many uracil tautomers there are? Density functional studies of stability ordering of tautomers 242 (1999) 217
Tominaga, K., see Ohta, K. 242 (1999) 103
Tomkinson, J., see Fillaux, F. 242 (1999) 273
Tremblay, B. and L. Manceron, Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon 242 (1999) 235
Tseng, M.-T., see Hsu, J.-P. 242 (1999) 69
Tseng, S., see Hsu, J.-P. 242 (1999) 69
Tsunashima, S., see Sato, K. 242 (1999) 1

Vasyutinskii, O.S., see Akopyan, M.E. 242 (1999) 263
Verhoeven, J.W., see Wegner, M. 242 (1999) 227

Wakabayashi, S., see Sato, K. 242 (1999) 1
Wang, X., see Chen, M. 242 (1999) 81
Wang, Y., see Bian, W. 242 (1999) 195
Wang, Y., see Bian, W. 242 (1999) 195
Wasylyshyn, D.A., see Johari, G.P. 242 (1999) 283
Wegner, M., H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row, Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems 242 (1999) 227

Xu, K.Z., see Tian, S.X. 242 (1999) 217

Yoshihara, K., see Ohta, K. 242 (1999) 103
Yu, M., see Chen, M. 242 (1999) 81

Zerbi, G., see Rumi, M. 242 (1999) 123
Zhang, C.F., see Tian, S.X. 242 (1999) 217
Zhang, L., see Chen, M. 242 (1999) 81
Zhang, Z.J., see Tian, S.X. 242 (1999) 217
Zhao, X., see Bian, W. 242 (1999) 195

ELSEVIER

Chemical Physics 242 (1999) 391–400

Chemical Physics

Subject index

Methods and constructs

Theoretical

Computational methods for electronic structure

Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S, K. Sato, S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi 242 (1999) 1

RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $CbFe(CO)_3$, M. Jaworska 242 (1999) 11

Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123

Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141

Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153

Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice, M. Alfredsson and K. Hermansson 242 (1999) 161

Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195

Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301

-perturbative and many body approaches

Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195

A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203

-density functional theory

How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217

Algebraic approaches

A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25

PII: S0301-0104(99)00108-1

The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach, E.S. Bernardes and J.E.M. Hornos 242 (1999) 295

Spin states and magnetic interactions

Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37

Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227

Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301

Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319

Photon states and statistics

The nature of the $B^{(3)}$ field, G. Hunter 242 (1999) 331

Scattering of waves and particles

Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341

Intramolecular dynamics

Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123

Molecular dynamics of many particle systems and condensed phases

Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353

Non-equilibrium statistical mechanics

A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367

Equilibrium statistical mechanics and thermodynamics

Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69

Time and space correlation functions

Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69

Experiment

Magnetic resonances

Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227

Molecular spectroscopy
Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123

-infrared
Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235

-UV
UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241
The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253

Photoelectron and Auger spectroscopy
A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203

Electron impact spectroscopy
Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91

Laser induced fluorescence
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153
The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263

Ultrafast measurements
Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study, K. Ohta, T.J. Kang, K. Tominaga and K. Yoshihara 242 (1999) 103

Multiple resonance spectroscopy
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153

Radiolysis
Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319

X-ray, electron and neutron diffraction
A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203

Neutron scattering (inelastic and quasielastic)
Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273

Measurement of macroscopic variables
Deuterium isotope effect on swelling process in aqueous polymer gels, H. Shirota and K. Horie 242 (1999) 115

Objects

Bulk systems

Gases
Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241
The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263
Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341

Supersonic beams
Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91

Liquid mixtures and solutions
Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study, K. Ohta, T.J. Kang, K. Tominaga and K. Yoshihara 242 (1999) 103

Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319

Crystals
Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice, M. Alfredsson and K. Hermansson 242 (1999) 161

Glasses
Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283

Polymers
Deuterium isotope effect on swelling process in aqueous polymer gels, H. Shirota and K. Horie 242 (1999) 115
Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283

Surfaces
Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341

Low-dimensional materials
Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273
Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301

Dielectrics
Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283

Microscopic and mesoscopic systems

Single atoms, molecules and assemblies (incl. biological)
A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123
A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367

Molecules (neutral and ionic)
Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S, K. Sato, S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi 242 (1999) 1

Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91
Energy gradient method for the ground, excited, ionized, and electron-attached states calculated by the SAC (symmetry-adapted cluster)/SAC–CI (configuration interaction) method, T. Nakajima and H. Nakatsuji 242 (1999) 177
Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195
Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235
The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach, E.S. Bernardes and J.E.M. Hornos 242 (1999) 295

-diatomic
The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253
The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263

-small polyatomics
A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235

-aromatics
UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241

Molecular aggregates
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153
Hartree–Fock and DFT calculations of quadrupole coupling constants in water clusters and ice, M. Alfredsson and K. Hermansson 242 (1999) 161

-complexes
RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $CbFe(CO)_3$, M. Jaworska 242 (1999) 11

Ions and charge carriers
Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227
Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273
Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319

Liquid–liquid and liquid–solid interfaces
Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69
Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353

Nucleic acids
How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217

Phenomena

Molecular structure
RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $CbFe(CO)_3$, M. Jaworska 242 (1999) 11
A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217
Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235

Vibrations and rotations of molecules
A local mode description of anharmonic vibrational excitations in linear molecules, R. Lemus and A. Frank 242 (1999) 25
Study of S–T conversion induced by an external magnetic field in gaseous oxalylfluoride excited to the 0^0-level of the $\tilde{A}\,^1A_u$ state, V.I. Makarov, R.N. Musin, G.A. Bogdanchikov, I.V. Khmelinskii, S.A. Kochubei and V.N. Ishchenko 242 (1999) 37
The overtone spectrum of monochloroacetylene (HCCCl) in the algebraic approach, E.S. Bernardes and J.E.M. Hornos 242 (1999) 295

Electronic structure and states
RHF, UHF, CASSCF and CASPT2 calculations for (cyclobutadiene)tricarbonyliron, $CbFe(CO)_3$, M. Jaworska 242 (1999) 11
Energy gradient method for the ground, excited, ionized, and electron-attached states calculated by the SAC (symmetry-adapted cluster)/SAC–CI (configuration interaction) method, T. Nakajima and H. Nakatsuji 242 (1999) 177
A study of the molecular structure and spectroscopic properties of tetrahydro[4]beltene and related compounds, V. Galasso, W. Grimme, J. Lex, D. Jones and A. Modelli 242 (1999) 203
Non-orthogonal orbitals for localized electrons. II. Variational optimization based on an effective spin hamiltonian, G. Bignonneau, A. Fritsch and L. Ducasse 242 (1999) 301

Electric and magnetic properties
The nature of the $B^{(3)}$ field, G. Hunter 242 (1999) 331

Molecular interactions
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. I. Formic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 141
Hydrogen-bonded phenol–acid clusters studied by vibrational resolved laser spectroscopy and ab initio calculations. II. Acetic acid, P. Imhof, W. Roth, C. Janzen, D. Spangenberg and K. Kleinermanns 242 (1999) 153
UV absorption shifts of benzenes in supercritical carbon dioxide, J. Otomo and S. Koda 242 (1999) 241

Energy transfer processes
The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263
Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341

Molecular photophysical processes
Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123

Photochemistry
Matrix-isolation infrared spectroscopic studies on ablated products generated from laser ablation of Ta_2O_5 and Ta in ambient O_2/Ar gas, M. Chen, X. Wang, L. Zhang, M. Yu and Q. Qin 242 (1999) 81
Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227

Intramolecular dynamics

-radiationless transitions
The 'approach-induced' $I_2(E0_g^+ \overset{I_2(X)}{\longleftrightarrow} D0_u^+)$ transition, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov, M.B. Stepanov and O.S. Vasyutinskii 242 (1999) 263

-vibrational energy redistribution (incl. vibrational dissociation)
Ultrafast relaxation processes from a higher excited electronic state of a dye molecule in solution: a femtosecond time-resolved fluorescence study, K. Ohta, T.J. Kang, K. Tominaga and K. Yoshihara 242 (1999) 103

Luminescence spectra, yields and lifetimes
The iodine $E0_g^+$–$B0_u^+$ and $D0_u^+$–$X0_g^+$ transition dipole moment functions, M.E. Akopyan, N.K. Bibinov, D.B. Kokh, A.M. Pravilov and M.B. Stepanov 242 (1999) 253

Nonlinear responses (incl. optical)
Conformational dependence of linear and nonlinear molecular optical properties by ab initio methods: the case of oligo-*p*-phenylenes, M. Rumi and G. Zerbi 242 (1999) 123
A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367

Reactions (incl. dissociation)
Kinetics and mechanisms of the reactions of CH and CD with H_2S and D_2S, K. Sato, S. Wakabayashi, T. Matsubara, M. Sugiura, S. Tsunashima, Y. Kurosaki and T. Takayanagi 242 (1999) 1
Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91

-isolated molecules
Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195

-condensed phase
Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319

Electron transfer
Time-resolved CIDNP from photochemically generated radical ion pairs in rigid bichromophoric systems, M. Wegner, H. Fischer, M. Koeberg, J.W. Verhoeven, A.M. Oliver and M.N. Paddon-Row 242 (1999) 227

Proton and hydrogen atom transfer
How many uracil tautomers there are? Density functional studies of stability ordering of tautomers, S.X. Tian, C.F. Zhang, Z.J. Zhang, X.J. Chen and K.Z. Xu 242 (1999) 217
Inelastic neutron scattering study of the proton dynamics in HNO_3 graphite intercalation compounds, F. Fillaux, S. Menu, J. Conard, H. Fuzellier, S.W. Parker, A.C. Hanon and J. Tomkinson 242 (1999) 273

Ionization (incl. Rydberg states)
Dissociative ionization accompanying emission by electron impact on N_2O using fragment ion–photon coincidence (FIPCO) measurements, A. Matsuo, K. Furuya and T. Ogawa 242 (1999) 91
Microwave field effects on the time dependence of recombination fluorescence from non-polar solutions, S.V. Anishchik, V.I. Borovkov, V.I. Ivannikov, I.V. Shebolaev, Yu.D. Chernousov, N.N. Lukzen, O.A. Anisimov and Yu.N. Molin 242 (1999) 319

Molecular motion (incl. diffusive)
Molecular environment effects on polymerization rates in diepoxide–binary amines compositions by dielectric studies, G.P. Johari and D.A. Wasylyshyn 242 (1999) 283
Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353

Isotopic effects
Deuterium isotope effect on swelling process in aqueous polymer gels, H. Shirota and K. Horie 242 (1999) 115
Far-infrared spectrum and structure of copper monocarbonyl isolated in solid argon, B. Tremblay and L. Manceron 242 (1999) 235

Fluctuations and noise
A thermal bath induced new resonance on the linear and nonlinear spectra of a two-level system, G. Gangopadhyay, S. Ghoshal and Y. Tanimura 242 (1999) 367

Surface chemical physics
Distribution of porous colloidal particles in an energy field, J.-P. Hsu, M.-T. Tseng and S. Tseng 242 (1999) 69

-surface scattering
Trajectory driven second quantization approach to quantum dynamics, G.D. Billing 242 (1999) 341

-catalysis
Direct solution of the Schrödinger equation for some muonic molecules, W. Bian, X. Zhao, Y. Wang and Y. Wang 242 (1999) 195

Structure of solids, liquids and glasses
Structure and dynamics of mixed dipolar liquids near solid surfaces: a molecular dynamics simulation study, S. Senapati and A. Chandra 242 (1999) 353